

# SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION

Product Name: Arlon Graphic Films

Synonyms: Vinyl film

Cut Vinyl Series: 72A, 87V, 98P, 300, 2100/2200, 2500, 2900/2950, 4500/4550, 4100, 5000/5050, 5200, 5400,

5500, 5570 and 5590

**Digital Series:** 45WF, 47WF, 50WD, 206, 4000, 4200, 4300, 4500, 4550, 4600, 5200, 6000, 6100, 6500, 6700,

8000™, 8200, 9000, CalWrap, Ever Etched Cal/Cast, Fusion Wrap, SLX+, & SLX™ Cast Wrap

Overlaminate Series: 3200, 3170, 3210, 3220, 3270, 3410, 3420, 3450, 3960

Recommended use: General signage & vehicle wraps

Manufacturer: Arlon Graphics, LLC.

200 Boysenberry Lane Placentia, CA 92870 USA

(714) 985-6300

Emergency Contact Information: Josh Nguyen, (714) 985-6300

# **SECTION 2: HAZARDS IDENTIFICATION**

This is a combustible material. This product does not release hazardous ingredients at room temperature for the intended use and application.

Hazard Classification: Combustible FilmsSignal Word: Not ApplicableSymbols: Not ApplicablePictograms: Not ApplicableHazard Statement: Combustible Films

## Note:

As per 29 CFR 1910.1200(b)(6)(v), these products fall under the definition of "Article" and thus a Hazard Communication (29 CFR 1910.1200)is not required. "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees (29 CFR 1910.1200(c).

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Substance:** Polyvinylchloride film/ Acrylic adhesive/ silicone coated liner.

Common Name: Pressure Sensitive Vinyl

Molecular formula: Not Applicable. (3-layer laminate: PVC film, acrylic adhesive, silicone coated paper liner)

CAS No. : Not Applicable
TSCA Inventory Status
NFPA Hazard Rating
HMIS Rating : Not Applicable
: Not Applicable
: Not Applicable

## **SECTION 4: FIRST AID MEASURES**

**Inhalation:** No need for first aid is anticipated.

Skin Contact: In case of minor scratch or cut in skin, keep the area clean and decontaminated. Seek medical attention

as you see fit.

**Eye Contact:** In case of minor scratch or cut in eyes, clean eyes with water. Seek medical attention. **Ingestion:** This product does not pose any swallowing hazard for its intended use and application.

#### SECTION 5: FIREFIGHTING MEASURES

Extinguishing Media : Class A extinguisher or ABC dry powder or CO<sub>2</sub> Extinguisher.

Special Precautions : Keep product away from open flames and hot metal surfaces.

**Special firefighting**: Wear self-contained breathing apparatus. Wear protective clothing to prevent

**procedure** contact with skin.

**Unusual fire & explosion** : Major combustion products include water vapor, carbon dioxide, carbon monoxide, and hydrocarbons as well as trace amounts of barium, zinc, silicone, aluminum and

hydrochloric acid.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

Not expected for its intended use and it is a stable film.

# **SECTION 7: HANDLING & STORAGE**

Keep away from water, heat, and flame. Store it in cool and dry place. Keep away from open flames or electrical hazards.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

1. Occupational exposure limit values: Not Applicable

2. Personal Protective Equipment: Not necessary for the intended use and application.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Adhesive-backed (clear or pigmented) PVC film on paper or polyester coated paper

**General Physical Form** : Solid **Specific Physical Form** : Film

Odor : Vinyl-like or adhesive odor when the release liner is removed.

Odor threshold : Not Applicable pH : Not Applicable

Melting Point : 205°C

Freezing Point : Not Applicable
Boiling Point : Not Applicable
VOC Content : <1% by weight

F.I. Temperature

(ASTM D 1929) Evaporation rate

: Not Applicable

(BuAc=1)
Vapor Density (air=1) : Not Applicable

Vapor pressure (mmHg/20°C) : Not Applicable Flash Point : Not Applicable

Upper/lower flammability or

explosive limits

: Not Applicable

: 340°C

## SECTION 10: STABILITY & REACTIVITY

Film stability : Stable under intended use at room temperature and pressure.

Possibility of hazardous

reactions : Not known

Conditions to avoid : Heating film over 300°F or 149°C.

Incompatible material : Strong acid or strong base

Hazardous decomposition of

: None known the product

#### SECTION 11: TOXICOLOGICAL INFORMATION

- 1. Route of exposure: typically not applicable. Inhalation of chlorine fumes in the event of burning vinyl.
- 2. Symptoms related to the physical, chemical & toxicological characteristic: None.
- 3. Delayed and immediate effects and also chronic effects from short & long term exposure: None.
- 4. Numerical measures of toxicity (such as acute toxicity estimate): Not applicable.

# **SECTION 12: ECOLOGICAL INFORMATION**

**Aquatic and Terrestrial Ecotoxicity** : Not Applicable Persistence and degradability : Not Applicable Bioaccumulative potential : Not Applicable Mobility in soil : Not mobile Other adverse effects : None known

#### SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in compliance with federal and local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

**DOT (49 CFR 172.101)** 

**UN Proper Shipping Name** : Not Regulated **UN/Identification No** : Not Applicable **Transport Hazard Classes** : Not Applicable **Packing Group** : Not Applicable

**Environmental Hazards** : Not Applicable. Not known as a marine pollutant per IMDG Code **Special Precautions for User** : Not Applicable. Not an IATA Regulated Dangerous Goods.

**Transport in Bulk** 

Annex II of MARPOL 73/78 and the

: Not Regulated **IBC Code** 

# SECTION 15: REGULATORY INFORMATION

# Safety Drinking Water & Toxic Enforcement Act, Proposition 65:

MARNING: These products can expose you to chemicals including vinyl chloride, which is known to the State of California to cause cancer, and toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

# SECTION 16: OTHER INFORMATION

**Revision Date** : 7/13/2020

As per 29 CFR 1910.1200(b)(6)(v), these products fall under the definition of "Article" and thus a Hazard Communication (29 CFR 1910.1200)is not required. "Árticle" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees (29 CFR 1910.1200(c).