



www.tech2.com.au

TELECOMMUNICATIONS
AUDIO VISUAL
COMPUTER SUPPORT
BUSINESS SOLUTIONS

>> 1300 4tech2



ARLON

PRINT MEDIA PRODUCTS

Wrapped in SLX™ Cast Wrap with Series 3270 Overlaminates by Excel Visual Solutions



Your Partner of Choice

Arlon, established in 1958 near Los Angeles, California, is a leading global manufacturer of pressure-sensitive adhesive vinyls for the sign and graphics industry.

As one of the world's most experienced casting companies, Arlon has gained a worldwide reputation for quality and innovation.

Arlon is proudly ISO 9001:2015 certified.




TECHNICAL SERVICES:

- Toll Free: 1 877 ARLON98 / 1 877 275 6698
- GraphicsTechnicalSupport@arlon.com

CUSTOMER SERVICE:

- 1 800 232 7161 / 714 985 6300
- GraphicsOrders@arlon.com



WRAPITRIGHT.COM

WrapItRight.com gives you access to expert advice and tutorials from industry leaders and specialists!

- ▶ How-to video library featuring vehicle wraps, commercial signage, and digital printing techniques.
- ▶ Create custom playlists and watch videos later.
- ▶ Get updates on Trade Shows and Training Events.

Throughout this brochure you will see companion how-to videos featuring recommended methods and techniques. Videos can be accessed by using the QR code or visiting wrapitright.com.

Arlon Technology



FLITE Technology™: Arlon's brand name for our lite contact system which allows graphics to float over a substrate until firm pressure is applied. FLITE Technology™ guarantees the fastest install while ensuring long-term bond and clean removability.



X-Scape Technology™: Arlon's brand name for our air-egress technology which allows air to release through tiny channels in the adhesive backed vinyl used for fleet, vehicle and general signage applications. X-Scape Technology™ allows installers to achieve a speedy installation while maintaining a high enough tack to ensure long-term bond.

Table of Contents

Fleet & Vehicle Graphics	2
Wall Wraps & Interior Décor.....	4
Commercial Signage	6
Multi-Purpose	8
Industrial	10
Promotional	12
Overlaminates	14
Specialty Overlaminates	16

Your Ideas in Motion

From start to finish, consistent print quality, ease of application, and versatility will keep your business moving no matter how many vehicles you're wrapping.



	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	APPLICATIONS
SLX™ CAST WRAP	Premium Cast Film with Low Profile FLITE Technology™	2-Mil (50 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with Low Profile FLITE Technology™	Gloss	Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics
DPF 6000XP	Premium Multi-Purpose Cast Film with X-Scape Technology™	2-Mil (50 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with X-Scape Technology™	Gloss	Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics Multi-Purpose Commercial Wall Graphics (Interior, Exterior)
DPF 6000RP WHITE	Premium Multi-Purpose Cast Film	2-Mil (50 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated	Gloss	Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics Multi-Purpose Commercial Wall Graphics (Interior, Exterior)
DPF 4600LX	High Performance Multi-Purpose Film with Low Profile X-Scape Technology™	3.2-Mil (80 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with Low Profile X-Scape Technology™	Gloss	Vehicle Graphics (Partial) Vehicle Decals Fleet Graphics Window Graphics Multi-Purpose Commercial Wall Graphics (Interior)
DPF 2400	Fleet Grade Digital Reflective Film	5-Mil (125 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Gloss	Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics Fleet Markings
DPF 45WF	One-Way Vision Window Film 60/40 Perforated Pattern	6-Mil (150 Micron)	Clean Removing, Low Tack (Clear)	Lay-Flat Polycoated	Satin	Window Graphics

TL: Wrapped in SLX™ Cast Wrap with Series 3270 Overlaminate by Auto Artisan Group; TR: Wrapped in DPF 4600LX by Elite Graphics UK; BL: Wrapped in SLX™ Cast Wrap with Series 3270 Overlaminate by A1 Signs Designs & Graphics; BR: Wrapped in DPF 6000XP by Media Plastyk



Wrapped in SLX™ Cast Wrap with Series 3270 Overlaminate by OC Wraps



WATCH THE VIDEO ▶

Applying Vinyl into a Deep Channel

Many commercial wraps include difficult applications over and around deep channels. This video shows the ideal technique for installing film into channels.

For more videos, visit wrapitright.com

FLITE™
TECHNOLOGY

FLITE Technology™ is Arlon's lite contact system which allows graphics to float over a substrate until firm pressure is applied. FLITE Technology guarantees the fastest install while ensuring long-term bond and clean removability.

arlon.com/technology

**Certified for
HP Latex Inks**

SLX™ Cast Wrap
DPF 6000XP
DPF 6000RP White
DPF 4600LX

RECOMMENDED SURFACES	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE OVERLAMINATE	INK COMPATIBILITY
Compound Curves / Deep Channels Concave Surfaces / Corrugated Panels Fleet Panels (Flat with Rivets)	7 Years	1372mm 1524mm	18,29m * 45,72m	Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Compound Curves / Deep Channels Concave Surfaces / Corrugated Panels Fleet Panels (Flat with Rivets) Smooth Walls	7 Years	1372mm 1524mm	18,29m * 45,72m	Series 3200 Series 3210 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Compound Curves / Deep Channels Concave Surfaces / Corrugated Panels Fleet Panels (Flat with Rivets) Smooth Walls	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3200 Series 3210 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Soft Curves Fleet Panels (Flat without Rivets) Common Sign Substrates Smooth Walls Glass	5 Years	1372mm 1524mm	45,72m	Series 3210 Series 3420 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Compound Curves Deep Channels Concave Surfaces Corrugated Panels Fleet Panels (Flat with Rivets)	7 Years	1219mm	22,86m 45,72m	Series 3200	Eco-Solvent / Solvent
Glass	1 Year	1372mm 1524mm	25m 50m	Series 3200	Eco-Solvent / Solvent UV / Latex ✦

* Only available in 1372mm width ✦ Optimal printing on HP Latex 360

Walls Reimagined

Transform ordinary walls into personalized art tailored to each individual customer.



Wrapped in DPF 6700 by Signs Now Broward

	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	APPLICATIONS
DPF 6700	Premium Cast Wall Wrap Film	2-Mil (50 Micron)	Permanent, (Clear)	Lay-Flat Polycoated	Gloss	Building Wraps Wall Graphics (Interior, Exterior)
DPF 8000™ WHITE	Industrial Grade Multi-Purpose Calendered Film for Hard-to-Stick Surfaces	3.5-Mil (90 Micron)	Permanent, High Tack (Clear)	Lay-Flat Polycoated	Satin	Wall Graphics (Interior, Exterior) Building Wraps ABS Plastic Graphics
DPF 47WF	One-Way Vision Window Film 70/30 Perforated Pattern	6-Mil (150 Micron)	Clean Removing, Low Tack (Clear)	Lay-Flat Polycoated	Satin	Window Graphics
DPF 6000RP WHITE	Premium Multi-Purpose Cast Film	2-Mil (50 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated	Gloss	Wall Graphics (Interior, Exterior) Multi-Purpose Commercial Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics
DPF 4600LX	High Performance Multi-Purpose Film with Low Profile X-Scape Technology™	3.2-Mil (80 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with Low Profile X-Scape Technology™	Gloss	Wall Graphics (Interior) Window Graphics Multi-Purpose Commercial Vehicle Graphics (Partial) Vehicle Decals Fleet Graphics
DPF 5200	Printable Etched Glass Cast Film	2-Mil (50 Micron)	Permanent (Clear)	Lay-Flat Synthetic	Etched Glass Silver Etched Glass Sparkle Etched Glass	Window Graphics (Interior, Exterior) Glass & Clear Substrates Partition Graphics
DPF 206	Removable Coated Wall Fabric	6-Mil (150 Micron)	Removable (Clear)	Lay-Flat Polycoated	Matte	Indoor Advertising Wall Graphics (Interior) Home Décor
DPF 207	Removable Wall Decoration Film	6-Mil (150 Micron)	Removable (Clear)	Lay-Flat Polycoated	Matte	Indoor Advertising Wall Graphics (Interior) Home Décor



Wrapped in DPF 5200



Wrapped in DPF 6000RP White



WATCH THE VIDEO >

Tiling for Large Wall Graphics

Successful installations of large wall graphics are dependent upon preparation and good design practices. This video will show you how to prepare a graphic for installation.

For more videos, visit wrapitright.com



TECHNICAL SERVICES:

P 1 877 ARLON98 / 1 877 275 6698
E GraphicsTechnicalSupport@arlon.com



DPF 6700
 DPF 8000™ White
 DPF 6000RP White
 DPF 4600LX

RECOMMENDED SURFACES	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE OVERLAMINATE	INK COMPATIBILITY
Brick, Concrete & Stucco Textured Surfaces & Substrates	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3200 / Series 3210 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Smooth Walls Textured Surfaces & Substrates Brick, Concrete & Stucco ABS Plastics	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3210 / Series 3420 Series 3590 / Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Glass	1 Year	1372mm 1524mm	50m	Series 3200	Eco-Solvent / Solvent UV / Latex *
Smooth Walls / Compound Curves Fleet Panels (Flat with Rivets) Deep Channels / Concave Surfaces Corrugated Panels	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3200 Series 3210 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Smooth Walls Glass Common Sign Substrates Soft Curves Fleet Panels (Flat without Rivets)	5 Years	1372mm 1524mm	45,72m	Series 3210 Series 3420 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Glass Clear Substrates	7 Years	1220mm 1524mm	45,72m	N/A	Eco-Solvent / Solvent / UV
Common Sign Substrates Smooth Walls	1 Year	1372mm	30,45m	N/A	Eco-Solvent Solvent UV
Common Sign Substrates Smooth Walls	1 Year	1372mm	45,72m	N/A	Eco-Solvent Solvent UV

* Optimal printing on HP Latex 360

Make an Impact

Don't let your signage get lost in the crowd. Choosing a film with both flexibility and vibrant print quality will give you the visibility you need for your graphics to perform everyday.



	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	APPLICATIONS
DPF 4600LX	High Performance Multi-Purpose Film with Low Profile X-Scape Technology™	3.2-Mil (80 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with Low Profile X-Scape Technology™	Gloss	Multi-Purpose Commercial Wall Graphics (Interior) Vehicle Graphics (Partial) Vehicle Decals Fleet Graphics Window Graphics
DPF 4500GLX / MLX	Intermediate Calendered Film with Low Profile X-Scape Technology™	3-Mil (75 Micron)	Permanent (Light Gray)	Lay-Flat Polycoated with Low Profile X-Scape Technology™	Gloss Matte	Standard Signage (Permanent) Display Graphics
DPF 4500GX	Intermediate Calendered Film with Low Profile X-Scape Technology™	3-Mil (75 Micron)	Permanent (Clear)	Lay-Flat Polycoated with Low Profile X-Scape Technology™	Gloss	Standard Signage (Permanent) Display Graphics Window Graphics
DPF 4500GT/MT *	Intermediate Calendered Film	3-Mil (75 Micron)	Permanent (Light Gray)	Lay-Flat Polycoated	Gloss Matte	Standard Signage (Permanent) Display Graphics
DPF 4500G WHITE/CLEAR	Intermediate Calendered Film	3-Mil (75 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Gloss	Standard Signage (Permanent) Display Graphics Second Surface Signage ✦ Window Graphics ✦
DPF 6000RP CLEAR	Premium Clear Cast Film	2-Mil (50 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Gloss	Backlit Signage Standard Signage (Permanent) Display Graphics Second Surface Signage Window Graphics Vehicle Graphics (Full, Partial) Fleet Graphics
DPF 6500	Premium Translucent Cast Film	2-Mil (50 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Gloss	Backlit Signage Display Graphics

TL: Wrapped in DPF 4500G White. Photo courtesy of CMYK; TR: Wrapped in DPF 6000RP Clear; BL: Wrapped in DPF 4600LX with Series 3220 Overlamine; BR: Wrapped in DPF 4500GT



Wrapped in DPF 6500



Wrapped in DPF 4500GLX



WATCH THE VIDEO ▶

Flat Substrate Application

Laying out large graphics by hand can be difficult to do. This video shows how you can use air-egress vinyl to make these application projects simple and consistent.

For more videos, visit wrapitright.com

X-Scape™
TECHNOLOGY

X-Scape Technology™ is Arlon's air-egress technology which allows air to release through tiny channels in the adhesive backed vinyl used for fleet, vehicle and general signage applications. X-Scape Technology™ allows installers to achieve a speedy installation.

arlon.com/technology

**Certified for
HP Latex Inks**

DPF 4600LX

RECOMMENDED SURFACES	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE OVERLAMINATE	INK COMPATIBILITY
Common Sign Substrates / Glass Smooth Walls / Soft Curves Fleet Panels (Flat without Rivets)	5 Years	1372mm 1524mm	45,72m	Series 3210 Series 3270 Series 3420	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Common Sign Substrates Glass	5 Years	1372mm 1524mm	45,72m	Series 3420	Eco-Solvent / Solvent UV / Latex
Common Sign Substrates Glass	5 Years	1372mm 1524mm	45,72m	Series 3420	Eco-Solvent / Solvent UV / Latex
Common Sign Substrates Glass	5 Years	1372mm 1524mm	45,72m	Series 3210 Series 3270 Series 3420	Eco-Solvent / Solvent UV / Latex
Common Sign Substrates Glass	5 Years	1372mm 1524mm	45,72m	DPF 4500G White: Series 3420 DPF 4500G Clear: Series 3200	Eco-Solvent / Solvent UV / Latex ▲
Glass / Common Sign Substrates Compound Curves / Deep Channels Concave Surfaces / Corrugated Panels Fleet Panels (Flat with Rivets)	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3200	Eco-Solvent Solvent UV
Glass Sign Plexi Common Sign Substrates	7 Years	1372mm 1524mm	18,29m ◆ 45,72m	Series 3200 Series 3210 Series 3270 Series 3350	Eco-Solvent Solvent UV

* Formerly DPF 4560GT/MT ✦ Use with DPF 4500G Clear ▲ DPF 4500G Clear optimal printing on Generation 3 HP Latex Printers ◆ Only available in 1372mm width

Freedom of Application

This collection features our most versatile films allowing you to use them for multiple applications while maximizing profitability.



Wrapped in DPF 8000™ White by Mislé & Saez

	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	APPLICATIONS
DPF 6000XRP	Premium Multi-Purpose Cast Film with X-Scape Technology™	2-Mil (50 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with X-Scape Technology™	Gloss	Multi-Purpose Commercial Wall Graphics (Interior, Exterior) Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics
DPF 6000RP WHITE	Premium Multi-Purpose Cast Film	2-Mil (50 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated	Gloss	Multi-Purpose Commercial Wall Graphics (Interior, Exterior) Vehicle Graphics (Full, Partial) Vehicle Decals Fleet Graphics
DPF 4600LX	High Performance Multi-Purpose Film with Low Profile X-Scape Technology™	3.2-Mil (80 Micron)	Clean Removing, Repositionable (Light Gray)	Lay-Flat Polycoated with Low Profile X-Scape Technology™	Gloss	Multi-Purpose Commercial Wall Graphics (Interior) Vehicle Graphics (Partial) Vehicle Decals Fleet Graphics Window Graphics
DPF 8000™ WHITE	Industrial Grade Multi-Purpose Calendered Film for Hard-to-Stick Surfaces	3.5-Mil (90 Micron)	Permanent, High Tack (Clear)	Lay-Flat Polycoated	Satin	Building Wraps Wall Graphics (Interior, Exterior) ABS Plastic Graphics



Wrapped in DPF 6000RP White with Series 3220 Overlaminate by Graphics Unlimited



DPF 4600LX



WATCH THE VIDEO ▶

Uploading an Arlon Media Profile into HP 300 Series Printers

Learn step-by-step instructions on how to properly upload Arlon Media Profiles into HP 300 RIP software.

For more videos, visit wrapitright.com

RECOMMENDED SURFACES	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE OVERLAMINATE	INK COMPATIBILITY
Smooth Walls / Compound Curves Deep Channels / Concave Surfaces Corrugated Panels Fleet Panels (Flat with Rivets)	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3200 Series 3210 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Smooth Walls / Compound Curves Deep Channels / Concave Surfaces Corrugated Panels Fleet Panels (Flat with Rivets)	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3200 Series 3210 Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Glass / Common Sign Substrates Smooth Walls / Soft Curves Fleet Panels (Flat without Rivets)	5 Years	1372mm 1524mm	45,72m	Series 3210 Series 3270 Series 3420	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Brick, Concrete & Stucco Textured Surfaces & Substrates Smooth Walls ABS Plastics	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3210 / Series 3270 Series 3420 / Series 3590	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks

PRO TIPS

SHIELD & PROTECT GRAPHICS WITH OVERLAMINATES

Pages 18-21

Certified for HP Latex Inks

DPF 6000XRP
DPF 6000RP White
DPF 4600LX
DPF 8000™ White

Heavy Duty Digital

Whether your graphics are going cross country, transatlantic or just across town, you will need a film to withstand the extremes.



Wrapped in DPF 8000™ White with Series 3590 Overlaminate by T2 Design

	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	APPLICATIONS
DPF 2400	Fleet Grade Reflective Film	5-Mil (125 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Gloss	Fleet Markings Fleet Graphics Vehicle Decals Vehicle Graphics (Full, Partial)
DPF 4000	Industrial Grade Calendered Film	3.5-Mil (90 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Satin	Rail & Ocean Container Markings Fleet Markings
DPF 8000™ WHITE	Industrial Grade Multi-Purpose Calendered Film for Hard-to-Stick Surfaces	3.5-Mil (90 Micron)	Permanent, High Tack (Clear)	Lay-Flat Polycoated	Satin	Building Wraps Wall Graphics ABS Plastic Graphics
DPF 9000	Industrial Grade Heat & Solvent Resistant Calendered Film	3.5-Mil (90 Micron)	Heat, Solvent Resistant Permanent (Clear)	Lay-Flat Polycoated	Satin	Gasoline Pumps Fleet Markings Boat Decals



Wrapped in DPF 2400 with Series 3200 Overlamineate

WRAPITRIGHT®

INSTRUCTIONAL VIDEO LIBRARY



WATCH THE VIDEO ▶

Preventing Adhesive Build-Up

Adhesive build-up can collect in a printer when printing film that has a soft and aggressive adhesive system. Learn how to remove adhesive build-up on your wide format printer.

For more videos, visit wrapitright.com



Purchase with Ease

Arlon's commitment to quality and durability is backed up by several warranties depending on the product and usage.

To learn more visit, arlon.com/warranties

Certified for
HP Latex Inks

DPF 8000™ White

RECOMMENDED SURFACES	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE OVERLAMINATE	INK COMPATIBILITY
Compound Curves Deep Channels Concave Surfaces Corrugated Panels Fleet Panels (Flat with Rivets)	7 Years	1219mm	22,86m 45,72m	Series 3200	Eco-Solvent / Solvent
Corrugated Panels Fleet Panels (Flat without Rivets)	7 Years	1245mm 1524mm	45,72m	Series 3270 Series 3420	Eco-Solvent / Solvent UV / Latex
Brick, Concrete & Stucco Textured Surfaces & Substrates Smooth Walls ABS Plastics	7 Years	1372mm 1524mm	18,29m 45,72m	Series 3210 / Series 3420 Series 3590 / Series 3270	Eco-Solvent / Solvent UV / Latex Certified for HP Latex Inks
Corrugated Panels Fleet Panels (Flat without Rivets)	7 Years	1245mm 1524mm	45,72m	Series 3270 Series 3420	Eco-Solvent / Solvent UV / Latex

Flat Out Impressive

Low cost solutions can still turn heads and these films are designed to do just that for your everyday promotional graphics.



DPF 50WD White

	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	APPLICATIONS
DPF 510G/M DPF 510GT/MT	Calendered Promotional Permanent Film	3.2-Mil (80 Micron)	DPF 510G/M Permanent (Clear) DPF 510GT/MT Permanent (Light Gray)	Lay-Flat Polycoated	Standard Signage (Permanent) Display Graphics
DPF 510GTR DPF 510MTR	Calendered Promotional Removable Film	3.2-Mil (80 Micron)	Removable Low Tack (Light Gray)	Lay-Flat Polycoated	Standard Signage (Removable) Display Graphics Window Graphics
DPF 50WD WHITE/CLEAR	Removable Window Film	DPF 50WD White: 3.5-Mil (90 Micron) DPF 50WD Clear: 4-Mil (100 Micron)	Removable (Clear)	Lay-Flat Polycoated	Window Decals Changeable Signage



Wrapped in DPF 510G

WRAPITRIGHT®

INSTRUCTIONAL VIDEO LIBRARY



WATCH THE VIDEO ▶

How to Store Vinyl Rolls

By storing your vinyl properly, you'll always get the best performance from your media. This video shows the key elements to storing vinyl in the right environment.

For more videos, visit wrapitright.com

RECOMMENDED SURFACES	FINISH	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE OVERLAMINATE	INK COMPATIBILITY
Common Sign Substrates	Gloss Matte	3 Years	1372mm 1524mm	45,72m	Series 3510	Eco-Solvent / Solvent / Latex
Common Sign Substrates Glass	Gloss Matte	3 Years	1372mm 1524mm	45,72m	Series 3510	Eco-Solvent / Solvent / Latex
Glass High Energy Surfaces	DPF 50WD White: Matte DPF 50WD Clear: Gloss	DPF 50WD White: 2 Years DPF 50WD Clear: 1 Year	1372mm 1524mm	45,72m	Series 3200 Series 3420	Eco-Solvent / Solvent UV / Latex *

* Not compatible with DPF 50WD Clear

PRO TIPS

ACHIEVE BETTER PRINT RESULTS WITH ICC COLOR PROFILES

Use custom Arlon profiles based on your printer model, RIP software, and ink type for optimal print results.

For color profiles, visit arlon.com/icc-color-profiles



Wrapped in SLX™ Cast Wrap with Series 3270 Overlaminates by Selmor Displays

Multiply Your Protection


Shield and protect your everyday signage from the elements. Arlon overlaminates are designed to protect and prolong the life of your graphic.



**Prolonged
Durability**



**Ease of
Application**



**UV
Stability**



**Abrasion
Resistance**



**Quick and
Clean Removal**



Wrapped in DPF 6000RP White with Series 3210 Overlamine by Graphics Unlimited



Wrapped in DPF 4500G White with Series 3420 Overlamine

	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE VINYL
SERIES 3270	Premium Cast Overlamine	2-Mil (50 Micron)	Permanent (Clear)	Clay Coated	Gloss Matte Satin	7 Years	1372mm 1574mm	18,29m * 45,72m	SLX™ Cast Wrap / DPF 6000XRP DPF 6000RP White / DPF 4600LX / DPF 8000™ White DPF 6700 / DPF 4500GT/MT / DPF 6500 DPF 9000 / DPF 4000
SERIES 3210	Premium Cast Overlamine	1.3-Mil (35 Micron)	Permanent (Clear)	Clay Coated	Gloss	7 Years	1372mm 1574mm	45,72m	DPF 6000XRP / DPF 6000RP White DPF 6500 / DPF 6700 / DPF 4600LX DPF 4500GT/MT / DPF 8000™ White
SERIES 3420	Calendered Overlamine	3-Mil (75 Micron)	Permanent (Clear)	Clay Coated	Gloss Matte Satin	5 Years	1372mm 1574mm	45,72m	DPF 4600LX / DPF 4500GLX/MLX / DPF 4500GX DPF 4500GT/MT / DPF 8000™ White DPF 9000 / DPF 4000 / DPF 50WD White
SERIES 3510	Promotional Calendered Overlamine	3.2-Mil (80 Micron)	Permanent (Clear)	Polycoated Kraft	Gloss Matte	3 Years	1372mm 1574mm	45,72m	DPF 510

* Only available in 1372mm width



Wrapped in DPF 4500GT with Series 3350 Overlaminate

Clear Solutions

Tough situations require tough solutions. When a standard overlaminate won't do, take your protection up a notch. Protect your graphics from extreme wear and tear while ensuring crystal clear clarity.



**Extreme
Durability**



**Anti-Graffiti
Protection**



**Temperature
& Chemical
Resistance**



**Abrasion
Resistance**



Clarity



Wrapped in DPF 2400 with Series 3200 Overlaminate by Transport Graphics



Wrapped in DPF 8000™ White with Series 3590 Overlaminate by ECD Customs

	DESCRIPTION	FACE FILM THICKNESS	ADHESIVE	RELEASE LINER	FINISH	DURABILITY (UNPRINTED)	ROLL WIDTHS	ROLL LENGTHS	COMPATIBLE VINYL
SERIES 3200	Premium High Gloss Optically Clear Overlaminate	2-Mil (50 Micron)	Permanent (Clear)	Polyester	Gloss	7 Years	13,72mm 1524mm	45,72m	DPF 6000XRP / DPF 6000RP White/Clear DPF 6500 / DPF 6700 / DPF 4500G Clear DPF 2400 / DPF 45WF / DPF 47WF DPF 50WD White/Clear
SERIES 3350	Anti-Graffiti PVDF Overlaminate	2-Mil (50 Micron)	Permanent (Clear)	Lay-Flat Polycoated	Satin	10 Years	13,72mm	45,72m	Most Digital and Screen Print Films
SERIES 3590	Heavy Duty Calendered Overlaminate	12-Mil (305 Micron)	Permanent (Clear)	Clay Coated	Gloss	2 Years	13,72mm 1524mm	22,86m	DPF 8000™ White

